Amendments to the Specification:

Please amend the paragraph beginning at page 7, line 4, previously amended, as follows:

The present invention may be embodied in software which may also be resident on computer readable medium such as a magnetic or optical disk, for instance. The computerreadable recording medium can be any kind of recording device that stores computer systemreadable data, such as ROM, RAM, CD-ROM, magnetic tape, floppy discs, optical data storage devices, etc., or carrier waves (e.g., a transmission over the Internet). Also the computer-readable recording medium may be distributed among computer systems connected via a network, so that the code corresponding to the present invention can be stored-and executed in a decentralized manner. Further included is a computer-readable storage medium having embodied thereon a computer program for executing a method of the present invention in various implementations. Fig. 1 represents a system suitable for practicing the present invention. It includes relational database management system software (RDBMS) 10 residing in a server 12 and coupled to a data storage unit 11. The RDBMS 10 of the present invention is the BM®-DB2®-relational database product IBM® DB2®, relational database product, although any relational database may be substituted. The server of the present invention may be, for example, IBM's UNIX-based pSeriesTM server, Intel-based xSeriesTM server, AS/400 based iSeriesTM server, or OS/390 based zSeries TM mainframe running the compatible DB2 software. It may also be any hardware configuration capable of providing a suitable environment for running relational database software accessible by an application. The storage 11 may be any type of persistent storage such as an array of direct access storage devices, optical drives, holographic devices, tape, etc. and may be accessed via a network connection, SCSI bus, or other appropriate means 15. The

RDBMS 10 of the detailed embodiment is accessed by application software 16 residing on a client workstation 18. Alternatively, it may run within the application space of a mainframe computer. The application software 16 makes requests to the RDBMS 10 for information and data over a connection 15 which may be, for example, an internet connection, a communications bus, or other appropriate access means. Requests for information and data are typically in the form of a relational database query statement sent over connection 15 to the RDBMS. The RDBMS parses the query statement for processing, and writes, modifies or retrieves data from storage 11 in accordance with the query statement's content. The query assist tool 14 of the present invention is software residing between the application software 16 and the RDBMS middleware 10. According to the detailed embodiment, it resides on client 18, but it may also reside on a separate machine such as the server 12, as long as it is accessible by the application 16, e.g. via a network or TCP/IP connection.